






ANGLES




Sl. No.	Sec. No.	A	T	Wt. Range KG/12'
1	2001	11.00	0.40	0.090 - 0.100
2	2002	11.00	0.55	0.120 - 0.140
3	2003	15.00	0.55	0.140 - 0.165
4	2005	17.00	0.40	0.140 - 0.170
5	2007	21.00	0.45	0.180 - 0.210
6	2008	21.00	0.65	0.240 - 0.270
7	2009	23.00	0.50	0.200 - 0.240
8	2011	23.75	2.40	0.750 - 0.850
9	2010	24.00	0.60	0.330 - 0.400




Sl. No.	Sec. No.	A	B	C	T	Wt. Range KG/12'
1	2213	30.00	14.80	11.50	0.85	0.540 - 0.590




Sl. No.	Sec. No.	A	B	T	Wt. Range KG/12'
1	2401	21.00	12.00	0.90	0.450 - 0.500
2	2403	22.00	14.00	1.40	0.800 - 0.850
3	2405	22.00	14.00	0.60	0.360 - 0.420



Sl. No.	Sec. No.	A	B	T	Wt. Range KG/12'
1	2201	16.00	9.00	0.40	0.140 - 0.170
2	2202	16.00	9.00	0.65	0.270 - 0.320
3	2204/L	21.00	10.00	0.50	0.200 - 0.250
4	2204	21.00	10.00	0.60	0.320 - 0.340
5	2205	21.00	11.00	0.72	0.350 - 0.390
6	2206	22.00	12.00	0.80	0.420 - 0.460
7	2207	22.00	12.00	0.90	0.460 - 0.510
8	2208	22.00	12.00	1.15	0.560 - 0.610
9	2209	23.00	12.00	1.40	0.740 - 0.780
10	2209/H	23.00	12.00	1.50	0.860 - 0.900
11	2212	23.60	12.90	1.00	0.620 - 0.670
12	2210	31.00	15.00	0.70	0.540 - 0.600
13	2210/H	31.00	15.00	0.85	0.630 - 0.690
14	2211	31.00	15.00	1.00	0.700 - 0.750




Sl. No.	Sec. No.	A	B	T	Wt. Range KG/12'
1	4660	28.00	38.00	1.50	1.500 - 1.650



Sl. No.	Sec. No.	A	B	T	T1	Wt. Range KG/12'
1	2044	22.20	6.90	2.80	2.00	0.700 - 0.950
2	2017	50.00	30.00	4.00	3.00	2.800 - 3.000




ANGLES



Sl. No.	Sec. No.	A	B	T	Wt. Range KG/12'
1	2050	18.00	13.00	2.00	0.550 - 0.590
2	2012	19.00	12.00	1.50	0.440 - 0.500
3	2039	19.00	12.00	0.80	0.240 - 0.280
4	2031	19.00	12.00	0.90	0.260 - 0.290
5	2033	21.00	19.00	2.00	0.750 - 0.820
6	2046	25.00	10.00	3.00	0.900 - 1.100
7	2027	25.00	15.00	1.50	0.550 - 0.600
8	2040	25.00	16.00	2.90	1.090 - 1.200
9	9113	25.60	31.60	2.60	1.350 - 1.500
10	2019	30.00	19.00	1.50	0.720 - 0.800
11	2013/H	32.00	24.00	4.50	2.300 - 2.500
12	2013	32.00	25.00	3.00	1.500 - 1.800
13	2042	35.00	10.00	2.00	0.800 - 0.900
14	2014/L	38.00	25.00	1.75	1.100 - 1.250
15	2014	38.00	25.00	2.05	1.250 - 1.450
16	2015	38.00	25.00	2.50	1.500 - 1.700
17	2016	38.00	25.00	3.10	1.900 - 2.200
18	2037	38.00	10.00	2.00	0.900 - 1.100
19	2029	38.00	25.00	5.00	3.100 - 3.400
20	2034	40.00	32.00	3.00	2.000 - 2.200
21	2047	45.00	25.00	5.00	3.200 - 3.800


Sl. No.	Sec. No.	A	B	T	Wt. Range KG/12'
22	2041	45.00	30.00	3.00	2.100 - 2.300
23	2043	50.00	25.00	1.50	1.000 - 1.200
24	2018	50.00	25.00	2.50	1.780 - 1.980
25	2025	54.00	25.00	5.00	3.600 - 3.900
26	2028	54.00	25.00	2.00	1.500 - 1.650
27	2032	55.00	25.00	2.00	1.500 - 1.650
28	2026	57.00	34.00	1.60	1.400 - 1.550
29	2021	58.50	37.20	6.35	5.600 - 6.100
30	2023/R	63.50	50.80	4.78	5.300 - 5.700
31	2024	63.50	50.80	6.00	6.300 - 6.700
32	2038	65.00	50.00	2.00	2.200 - 2.400
33	2045	65.00	60.00	1.50	1.800 - 2.200
34	2036	70.00	37.00	6.00	5.900 - 6.300
35	2035	75.00	25.00	5.00	4.700 - 5.100
36	2022	75.00	50.00	6.00	7.000 - 7.400
37	2048	85.00	25.00	6.00	6.150 - 6.600
38	2890	88.10	42.50	2.00	2.500 - 2.700
39	2030	90.00	40.00	3.00	3.700 - 4.000
40	2049	150.00	100.00	10.00	23.700 - 24.200
41	2020	154.00	24.00	3.00	5.000 - 5.500
42	7470	203.00	53.00	3.00	7.500 - 7.900



Sl. No.	Sec. No.	A	A	T	Wt. Range KG/12'
1	2124	49.60	49.60	4.30	3.600 - 4.000
2	2121	44.00	44.00	4.70	3.560 - 4.000



ANGLES



Sl. No.	Sec. No.	A	T	Wt. Range KG/12'
1	2101	12.00	6.00	1.400 - 1.600
2	2102	12.00	2.25	0.490 - 0.550
3	2102/H	12.00	3.50	0.720 - 0.800
4	2100	12.50	0.60	0.140 - 0.160
5	2100/H	12.50	0.90	0.220 - 0.250
6	2103	18.50	0.60	0.220 - 0.240
7	2104/L	19.00	1.20	0.430 - 0.480
8	2104	19.00	1.50	0.550 - 0.600
9	2105	19.00	2.30	0.780 - 0.830
10	2135	19.00	2.90	1.000 - 1.100
11	2129	20.00	1.00	0.380 - 0.430
12	2153	22.00	3.00	1.200 - 1.350
13	2106	23.00	0.50	0.250 - 0.290
14	2107	24.00	0.75	0.350 - 0.410
15	2107/H	24.00	0.90	0.430 - 0.480
16	2108	24.00	1.00	0.490 - 0.540
17	2109	25.00	1.25	0.600 - 0.650
18	2110	25.00	1.65	0.760 - 0.820
19	2111	25.00	2.05	0.950 - 1.150
20	2122	25.00	2.50	1.150 - 1.350
21	2112	25.00	2.90	1.400 - 1.600
22	2114	30.00	6.00	3.300 - 3.800
23	2148	30.00	3.00	1.650 - 1.800
24	2123	31.00	1.00	0.600 - 0.700
25	2113	31.75	2.85	1.700 - 2.000
26	2125	32.00	1.45	0.900 - 1.100
27	2125/H	32.00	2.00	1.220 - 1.500
28	2118	37.50	0.80	0.600 - 0.650
29	2116/L	38.00	2.40	1.650 - 1.850
30	2116/H	38.00	3.30	2.300 - 2.600

Sl. No.	Sec. No.	A	T	Wt. Range KG/12'
31	2117/R	38.00	5.00	3.500 - 3.800
32	2117/H	38.00	5.80	4.000 - 4.400
33	2147	38.00	12.00	7.500 - 7.900
34	2115	38.50	1.55	1.150 - 1.400
35	2115/H	38.50	2.45	1.800 - 2.000
36	2116	38.50	2.80	2.050 - 2.250
37	2117	38.50	4.75	3.400 - 3.700
38	2126	40.00	2.00	1.500 - 1.700
39	2144	40.00	3.00	2.300 - 2.600
40	2152	40.00	4.00	3.000 - 3.300
41	2149	40.00	5.00	3.700 - 4.000
42	2130	41.90	3.00	2.350 - 2.850
43	2150	50.00	5.00	4.700 - 5.100
44	2137	50.00	6.00	5.700 - 6.000
45	2138	50.00	8.00	7.700 - 8.200
46	2139	50.00	10.00	9.700 - 10.200
47	2119	50.50	2.85	2.700 - 3.000
48	2120	51.00	4.80	4.600 - 5.200
49	2142	60.00	6.00	6.900 - 7.300
50	2128	63.50	6.00	7.200 - 7.600
51	2128/R	63.50	6.35	7.700 - 8.200
52	2127	65.00	6.00	7.700 - 8.200
53	2140	70.00	6.00	8.300 - 8.600
54	2151	75.00	5.00	7.200 - 7.600
55	2141	75.00	6.00	8.500 - 8.800
56	2154	75.00	9.50	13.000 - 13.600
57	2143	76.00	3.00	4.300 - 4.600
58	2136	100.00	3.00	5.825 - 6.425
59	2145	100.00	6.00	11.700 - 12.200
60	2146	100.00	10.00	19.700 - 20.300